Journal of Crystal Growth 81 (1987) 571–577
North-Holland, Amsterdam



# AUTHOR INDEX

Aarts, J., W.M. Gerits and P.K. Larsen, Monolayer and bilayer growth on Ge(111) (extended abstract) 81 (1987) 65
Airaksinen, V.M., T.S. Cheng and C.R. Stanley, Incorporation and desorption of sulphur in InP grown by MBE 81 (1987) 332
Ajuria, S.A., see Tu 81 (1987) 545
Akatsu, Y., H. Ohno, H. Hasegawa and T. Hashizume, Effect of a coincident Pb flux during MBE growth on the electrical properties of GaAs and AlGaAs layers 81 (1987) 319
Alexandre, F., J.C. Harmand, J.L. Lievin, C. Dubon-Chevallier, D. Ankri, C. Minot and J.F. Palmier, A new GaAs/$Ga_{1-x}Al_xAs$ superlattice transistor grown by molecular beam epitaxy 81 (1987) 391
Allegri, P., see Bosacchi 81 (1987) 181
Allen, P.M.G., see Westwood 81 (1987) 506
Andrews, D.A., see Scott 81 (1987) 296
Ankri, D., see Alexandre 81 (1987) 391
Aoki, T., see Kimata 81 (1987) 508
Arnaud d'Avitaya, F., J.A. Chroboczek, C. d'Anterroches, G. Glastre, Y. Campidelli and E. Rosencher, Silicon overgrowth on $CoSi_2$/Si(111) epitaxial structures: application to permeable base transistor 81 (1987) 463
Arrott, A.S., see Heinrich 81 (1987) 562
Asbeck, P.M., see Miller 81 (1987) 368
Ashenford, D.E., J.D. Medland, L. Edwards-Shea, A.D. Page and C.E.C. Wood, Growth and aluminium doping of MBE cadmium telluride on gallium arsenide (extended abstract) 81 (1987) 505
Avanzini, V., see Bosacchi 81 (1987) 181

Bajema, K., see Clarke 81 (1987) 116
Balk, P., see Heinecke 81 (1987) 270
Balk, P., see Werner 81 (1987) 281
Baribeau, J.-M., see Houghton 81 (1987) 434
Baribeau, J.-M., see Denhoff 81 (1987) 445
Barthe, F., see Houzay 81 (1987) 67
Bean, J.C., Silicon molecular beam epitaxy: 1984–1986 81 (1987) 411
Beck, W.A., R.A. Wilson and A.C. Goldberg, Determination of heterojunction mobilities using a novel magnetic field-dependent Hall technique 81 (1987) 136
Berger, P.R., see Juang 81 (1987) 373
Berrabah, M., see Fontaine 81 (1987) 547
Bhattacharya, P.K., see Clarke 81 (1987) 116
Bhattacharya, P.K., see Juang 81 (1987) 373
Bosacchi, A., S. Franchi, C. Ghezzi, E. Gombia, M. Guzzi, J.L. Staehli, P. Allegri and V. Avanzini, DLTS and photoluminescence of MBE GaAs grown in the presence of hydrogen 81 (1987) 181
Briones, F., D. Golmayo, L. González and A. Ruiz, Phase-locked RHEED oscillations during MBE growth of GaAs and $Al_xGa_{1-x}As$ 81 (1987) 19
Brown, A.S., see Griem 81 (1987) 383

Calawa, A.R., see Radulescu 81 (1987) 106
Campidelli, Y., see Arnaud d'Avitaya 81 (1987) 463
Chang, L.L., see Munekata 81 (1987) 237
Chang, T.Y., see Chelluri 81 (1987) 530
Chang, Y.H., see Zheng 81 (1987) 489
Chelluri, B., T.Y. Chang, A. Ourmazd, A.H. Dayem, J.L. Zyskind and A. Srivastava, Molecular beam epitaxial growth of II–V semiconductor $Zn_3As_2$ and II–IV–V chalcopyrite $ZnGeAs_2$ 81 (1987) 530
Chen, P., see Madhukar 81 (1987) 26
Cheng, H., S.K. Mohapatra, J.E. Potts and T.L. Smith, Effects of beam pressure ratios on film quality in MBE growth of ZnSe 81 (1987) 512
Cheng, T.S., see Airaksinen 81 (1987) 332
Chew, N.G., see Robbins 81 (1987) 421
Christou, A., K. Varmazis and Z. Hatzopoulos, High mobility GaAs/AlAs/(211)Si structures grown by MBE 81 (1987) 226
Chroboczek, J.A., see Arnaud d'Avitaya 81 (1987) 463
Cibert, J., see Gossard 81 (1987) 101
Claassen, J.H., S.A. Wolf, S.B. Qadri and L.D. Jones, Epitaxial growth of niobium thin films 81 (1987) 557
Clarke, R., J. Todd, R. Merlin, K. Bajema, P.K. Bhattacharya and F.-Y. Juang, Growth and properties of quasiperiodic heterostructures 81 (1987) 116
Claxton, P.A., J.S. Roberts, J.P.R. David, C.M. Sotomayor-Torres, M.S. Skolnick, P.R. Tapster and K.J. Nash, Growth and characterisation of quantum wells and selectively doped heterostructures of InP/$Ga_{0.47}In_{0.53}As$ grown by solid source MBE 81 (1987) 288
Cochran, J.F., see Heinrich 81 (1987) 562

Cohen, P.I., see Van Hove 81 (1987) 13
Cohen, P.I., see Pukite 81 (1987) 214
Cullis, A.G., see Robbins 81 (1987) 421

Dal'bo, F., see Magnea 81 (1987) 501
Dang, Le Si, see Magnea 81 (1987) 501
D'Anterroches, C., J.Y. Marzin, G. Le Roux and L. Goldstein, High resolution electron microscopy of InAs/GaAs strained-layer superlattices 81 (1987) 121
D'Anterroches, C., see Arnaud d'Avitaya 81 (1987) 463
Das, M.B., see Liu 81 (1987) 359
Das, U., see Juang 81 (1987) 373
David, J.P.R., see Claxton 81 (1987) 288
Davies, G.J., see Scott 81 (1987) 296
Daw, A.C., see Robbins 81 (1987) 421
Dayem, A.H., see Chelluri 81 (1987) 530
Delaney, M.J., see Griem 81 (1987) 383
Demay, Y., J.P. Gailliard and P. Medina, In situ spectroscopic ellipsometry of mercury cadmium telluride MBE layers 81 (1987) 97
Denhoff, M.W., see Houghton 81 (1987) 434
Denhoff, M.W., J.-M. Baribeau, D.C. Houghton and K. Rajan, Electrical measurements on MBE grown $Si/Si_{1-x}Ge_x$ heterojunctions 81 (1987) 445
D'Haenens, I.J., see Griem 81 (1987) 383
Dharma-Wardana, M.W.C., see Houghton 81 (1987) 434
Dies, B.E., see Erickson 81 (1987) 55
Dobson, P.J., B.A. Joyce, J.H. Neave and J. Zhang, Current understanding and applications of the RHEED intensity oscillation technique 81 (1987) 1
Dolan, G.J., see Gossard 81 (1987) 101
Dubon-Chevallier, C., see Alexandre 81 (1987) 391

Eastman, L.F., see Radulescu 81 (1987) 106
Eastman, L.F., see Enquist 81 (1987) 378
Eckstein, J.N., see Kirillov 81 (1987) 91
Edwards-Shea, L., see Ashenford 81 (1987) 505
Eisele, I., see Zeindl 81 (1987) 231
English, J.H., see Gossard 81 (1987) 101
Enquist, P.M., L.P. Ramberg, F.E. Najjar, W.J. Schaff, K.L. Kavanagh, G.W. Wicks and L.F. Eastman, Use of pseudomorphic GaInAs in heterojunction bipolar transistors 81 (1987) 378
Erickson, L.P., M.D. Longerbone, R.C. Youngman and B.E. Dies, The observation of oscillations in secondary electron emission during the growth of GaAs by MBE 81 (1987) 55

Farrow, R.F.C., see Zheng 81 (1987) 489
Faurie, J.-P., Developments and trends in MBE of II–VI Hg-based compounds 81 (1987) 483
Fenton, E.W., see Houghton 81 (1987) 434
Fewster, P.F., J.P. Gowers, D. Hilton and C.T. Foxon, Structural studies of GaAs–AlAs superlattices grown by MBE (extended abstract) 81 (1987) 120
Fewster, P.F., see Woodbridge 81 (1987) 224
Finkman, E., see Tamargo 81 (1987) 109
Fisher, A., see Fronius 81 (1987) 169
Fontaine, C., see Magnea 81 (1987) 501
Fontaine, C., M. Berrabah, J. Nejjar and A. Munoz-Yague, Electrical characteristics of GaAs grown on $(Ca,Sr)F_2$ by molecular beam epitaxy 81 (1987) 547
Foxon, C.T., see Fewster 81 (1987) 120
Franchi, S., see Bosacchi 81 (1987) 181
Fronius, H., A. Fisher and K. Ploog, Elimination of GaAs oval defects and high-throughput fabrication of selectively doped $Al_xGa_{1-x}As/GaAs$ heterostructures by MBE 81 (1987) 169
Fuenzalida, V., see Zeindl 81 (1987) 231
Fujii, T., see Hiyamizu 81 (1987) 349
Fujimoto, I., see Yao 81 (1987) 518
Fukuda, Y. and Y. Kohama, High quality heteroepitaxial Ge growth on (100) Si by MBE 81 (1987) 451
Fukunaga, T., T. Takamori and H. Nakashima, Photoluminescence from AlGaAs–GaAs single quantum wells grown on variously oriented GaAs substrates by MBE 81 (1987) 85

Gailliard, J.P., see Demay 81 (1987) 97
Gailliard, J.P., see Magnea 81 (1987) 501
Gammon, D., R. Merlin, D. Huang and H. Markoç, Acceptor Raman scattering in $GaAs–Al_xGa_{1-x}As$ quantum-well structures 81 (1987) 149
Gasson, D.B., see Robbins 81 (1987) 421
Gerits, W.M., see Aarts 81 (1987) 65
Ghaisas, S.V., see Madhukar 81 (1987) 26
Ghezzi, C., see Bosacchi 81 (1987) 181
Glastre, G., see Arnaud d'Avitaya 81 (1987) 463
Goldberg, A.C., see Beck 81 (1987) 136
Goldstein, L., see D'Anterroches 81 (1987) 121
Goldstein, L., J.P. Praseuth, M.C. Joncour, J. Primot, P. Henoc, J.L. Pelouard and P. Hesto, MBE growth of $Al_xGa_yIn_{1-x-y}As$ for a DHBT structure 81 (1987) 396
Golmayo, D., see Briones 81 (1987) 19
Gombia, E., see Bosacchi 81 (1987) 181
González, L., see Briones 81 (1987) 19
Gossard, A.C., J.H. English, P.J. Petroff, J. Cibert, G.J. Dolan and S.J. Pearton, Low-dimensional systems: quantum wires and quantum boxes by MBE 81 (1987) 101
Gowers, J.P., see Fewster 81 (1987) 120
Gowers, J.P., see Woodbridge 81 (1987) 224

Graf, T., see Von Känel 81 (1987) 470
Griem, H.T., K.H. Hsieh, I.J. D'Haenens, M.J. Delaney, J.A. Henige, G.W. Wicks and A.S. Brown, Characterization of strained GaInAs/AlInAs quantum well TEGFETs grown by molecular beam epitaxy 81 (1987) 383
Gu, B.P., see Kolodziejski 81 (1987) 491
Guille, C., see Houzay 81 (1987) 67
Gunshor, R.L., see Kolodziejski 81 (1987) 491
Guzzi, M., see Bosacchi 81 (1987) 181

Hamilton, B., see Nicholas 81 (1987) 298
Harbison, J.P., L.D. Peterson and J. Levkoff, Precisely controlled compositional gradients in MBE grown AlGaAs/GaAs structures 81 (1987) 34
Hardeman, R.W., see Robbins 81 (1987) 421
Harmand, J.C., see Alexandre 81 (1987) 391
Harris, Jr., J.S., see Hellman 81 (1987) 38
Harris, Jr., J.S., see Koch 81 (1987) 205
Harris, Jr., J.S., see Larkins 81 (1987) 344
Harris, T.D., see Tu 81 (1987) 159
Hasegawa, H., see Akatsu 81 (1987) 319
Hashiguchi, G., see Sakamoto 81 (1987) 59
Hashimoto, M., see Kano 81 (1987) 144
Hashizume, T., see Akatsu 81 (1987) 319
Hatzopoulos, Z., see Christou 81 (1987) 226
Hayashi, H., see Matsui 81 (1987) 245
Hefetz, Y., see Kolodziejski 81 (1987) 491
Heinecke, H., K. Werner, M. Weyers, H. Lüth and P. Balk, Doping of GaAs in metalorganic MBE using gaseous sources 81 (1987) 270
Heinecke, H., see Werner 81 (1987) 281
Heinrich, B., A.S. Arrott, J.F. Cochran, S.T. Purcell, K.B. Urquhart and K. Myrtle, Probing interfaces of ultra thin films on magnetic substrates using ferromagnetic resonance at 73.55 GHz 81 (1987) 562
Hellman, E.S. and J.S. Harris, Jr., Infra-red transmission spectroscopy of GaAs during molecular beam epitaxy 81 (1987) 38
Hellman, E.S., see Larkins 81 (1987) 344
Henderson, T., see Liu 81 (1987) 359
Henige, J.A., see Griem 81 (1987) 383
Henoc, P., see Houzay 81 (1987) 67
Henoc, P., see Goldstein 81 (1987) 396
Henz, J., see Von Känel 81 (1987) 470
Henzler, M., see Horn 81 (1987) 428
Herrenden-Harker, W.G., see Westwood 81 (1987) 506
Herzog, H.J., see Jorke 81 (1987) 440
Herzog, H.J., see Kasper 81 (1987) 458
Hesto, P., see Goldstein 81 (1987) 396
Hilton, D., see Fewster 81 (1987) 120
Hirose, K., T. Mizutani and K. Nishi, Electron and hole mobility in modulation doped GaInAs–AlInAs strained layer superlattice 81 (1987) 130
Hiyamizu, S., T. Fujii, S. Muto, T. Inata, Y. Nakata, Y. Sugiyama and S. Sasa, MBE growth of InGaAs–InGaAlAs heterostructures for applications to high-speed devices 81 (1987) 349
Holmes, S.J., see Kerr 81 (1987) 175
Hong, W.-P., see Juang 81 (1987) 373
Horiguchi, S., see Kimura 81 (1987) 276
Horikoshi, Y., see Sugiura 81 (1987) 9
Horn, M. and M. Henzler, LEED studies of Si molecular beam epitaxy onto Si(111) 81 (1987) 428
Houghton, D.C., D.J. Lockwood, M.W.C. Dharma-Wardana, E.W. Fenton, J.-M. Baribeau and M.W. Denhoff, Characterization of MBE grown $Si/Ge_xSi_{1-x}$ strained layer superlattices 81 (1987) 434
Houghton, D.C., see Denhoff 81 (1987) 445
Houghton, R.F., G. Patel, W.Y. Leong, T.E. Whall, E.H.C. Parker, R.A.A. Kubiak and R. Nayler, A preliminary study of impurities and defects in Si-MBE layers 81 (1987) 326
Houzay, F., C. Guille, J.M. Moison, P. Henoc and F. Barthe, First stages of the MBE growth of InAs on (001) GaAs 81 (1987) 67
Hsieh, K.H., see Griem 81 (1987) 383
Huang, D., see Gammon 81 (1987) 149
Huang Yi, see Zhou Junming 81 (1987) 221
Huber, V., see Zeindl 81 (1987) 231
Hull, R., see Koch 81 (1987) 205
Hwang, D.M., see Tamargo 81 (1987) 109

Igarashi, I., see Kano 81 (1987) 144
Igarashi, T., see Saito 81 (1987) 188
Ihm, J., see Tamargo 81 (1987) 109
Inata, T., see Hiyamizu 81 (1987) 349
Ishida, K., see Yao 81 (1987) 518
Ishii, M., see Kimura 81 (1987) 276
Ishizaka, A., see Shiraki 81 (1987) 476
Isu, T., see Maruno 81 (1987) 338

Jia Wei Yi, see Zhou Junming 81 (1987) 221
Johnson, M., see Robbins 81 (1987) 421
Joncour, M.C., see Goldstein 81 (1987) 396
Jones, L.D., see Claassen 81 (1987) 557
Jones, R., see Robbins 81 (1987) 421
Jonker, B.T., J.J. Krebs, G.A. Prinz and S.B. Qadri, MBE growth of single crystal α-Fe films on ZnSe (001) and (110) 81 (1987) 524
Jorke, H., H.J. Herzog, E. Kasper and H. Kibbel, Assessment of band offsets in Si/SiGe strained layer superlattices by vertical transport measurements 81 (1987) 440
Juang, F.-Y., see Clarke 81 (1987) 116
Juang, F.-Y., W.-P. Hong, P.R. Berger, P.K. Bhattacharya, U. Das and J. Singh, Growth and properties of $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As$, GaAs : In and In GaAs/GaAs multilayers 81 (1987) 373

Joyce, B.A., see Dobson 81 (1987) 1
Joyce, B.A., see Woodbridge 81 (1987) 224

Kamon, K., see Kimura 81 (1987) 276
Kaneda, S., Y. Sakamoto, T. Mihara and T. Tanaka, MBE growth of 3C·SiC/6H·SiC and the electric properties of its p–n junction 81 (1987) 536
Kano, H., Y. Tanaka, N. Sawaki, M. Hashimoto and I. Igarashi, Negative differential resistance device built in a biwell GaAs/AlGaAs superlattice 81 (1987) 144
Kao, Y.H., see Munekata 81 (1987) 237
Kashiro, K., see Yokoyama 81 (1987) 73
Kasper, E., see Jorke 81 (1987) 440
Kasper, E., H.J. Herzog and K. Wörner, Monolithic integration using differential Si-MBE 81 (1987) 458
Kavanagh, K.L., see Enquist 81 (1987) 378
Kawamura, T., see Sakamoto 81 (1987) 59
Kawashima, M., see Sugiura 81 (1987) 9
Kerr, T.M., D.C. Peacock, S.J. Holmes and C.E.C. Wood, The use of antimony for the passivation of MBE grown GaAs surfaces (extended abstract) 81 (1987) 175
Kibbel, H., see Jorke 81 (1987) 440
Kim, J.Y., see Madhukar 81 (1987) 26
Kim, M.H., see Larkins 81 (1987) 344
Kimata, M., A. Ryoji and T. Aoki, Growth and interdiffusion in CdTe/InSb multilayers 81 (1987) 508
Kimura, K., S. Horiguchi, K. Kamon, M. Shimazu, M. Mashita, M. Mihara and M. Ishii, Silicon doping from disilane in gas source MBE of GaAs 81 (1987) 276
Kimura, R., see Kobayashi 81 (1987) 495
Kirillov, D., C. Webb and J.N. Eckstein, Raman scattering study of heavily Si-doped GaAs–$Ga_{1-x}Al_xAs$ superlattices grown by molecular beam epitaxy 81 (1987) 91
Kiyosawa, T., see Koguchi 81 (1987) 400
Klem, J., see Liu 81 (1987) 359
Kobayashi, M., R. Kimura, M. Konagai and K. Takahashi, Growth and characterization of ZnSe–ZnTe strained-layer superlattices 81 (1987) 495
Koch, S.M., S.J. Rosner, R. Hull, G.W. Yoffe and J.S. Harris, Jr., The growth of GaAs on Si by MBE 81 (1987) 205
Koguchi, N., T. Kiyosawa and S. Takahashi, Double heterostructure $Pb_{1-x}Cd_xS_{1-y}Se_y$/PbS/$Pb_{1-x}Cd_xS_{1-y}Se_y$ lasers grown by molecular beam epitaxy 81 (1987) 400
Kohama, Y., see Fukuda 81 (1987) 451
Kolodziejski, L.A., R.L. Gunshor, N. Otsuka, B.P. Gu, Y. Hefetz and A.V. Nurmikko, Use of RHEED oscillations for the growth of 2D magnetic semiconductor superlattices (MnSe/ZnSe) 81 (1987) 491
Komiya, S., see Shimizu 81 (1987) 243
Konagai, M., see Kobayashi 81 (1987) 495
Kondo, K., see Saito 81 (1987) 188
Kopf, R.F., see Tu 81 (1987) 159
Kopp, W., see Liu 81 (1987) 359
Krebs, J.J., see Jonker 81 (1987) 524
Kroemer, H., Polar-on-nonpolar epitaxy 81 (1987) 193
Kubiak, R.A.A., see Newstead 81 (1987) 49
Kubiak, R.A.A., see Houghton 81 (1987) 326
Kuniyoshi, K., see Sakamoto 81 (1987) 59

Lamont, M.G., see Tu 81 (1987) 159
Larkins, E.C., E.S. Hellman, D.G. Schlom, J.S. Harris, Jr., M.H. Kim and G.E. Stillman, GaAs with very low acceptor impurity background grown by molecular beam epitaxy 81 (1987) 344
Larsen, P.K., see Aarts 81 (1987) 65
Lee, M., see Nicholas 81 (1987) 298
Lee, M.E., see Truscott 81 (1987) 552
Le Si Dang, see Magnea 81 (1987) 501
Leong, W.Y., see Houghton 81 (1987) 326
Le Roux, G., see D'Anterroches 81 (1987) 121
Levkoff, J., see Harbison 81 (1987) 34
Li Yongkang, see Zhou Junming 81 (1987) 221
Lievin, J.L., see Alexandre 81 (1987) 391
Liu, S.M., M.B. Das, C.K. Peng, J. Klem, T. Henderson, W. Kopp and H. Morkoç, Pseudomorphic InGaAs/AlGaAs modulation-doped FET's with reduced low-frequency noise and thermally stable performance 81 (1987) 359
Lockwood, D.J., see Houghton 81 (1987) 434
Longerbone, M.D., see Erickson 81 (1987) 55
Lüth, H., see Heinecke 81 (1987) 270
Lüth, H., see Werner 81 (1987) 281

Mackey, K.J., see Westwood 81 (1987) 506
Madhukar, A., P. Chen, F. Voillot, M. Thomsen, J.Y. Kim, W.C. Tang and S.V. Ghaisas, A combined computer simulation, RHEED intensity dynamics and photoluminescence study of the surface kinetics controlled interface formation in MBE grown GaAs/$Al_xGa_{1-x}As$(100) quantum well structures 81 (1987) 26
Magnea, N., F. Dal'bo, C. Fontaine, A. Million, J.P. Gaillard, Le Si Dang, Y. Merle d'Aubigné and S. Tatarenko, Mismatch strain measurements of MBE grown CdTe 81 (1987) 501
Maier, P., see Zogg 81 (1987) 543
Maruno, S., Y. Morishita, T. Isu, Y. Nomura and H. Ogata, Molecular beam epitaxy of InP using low-energy $P^+$ ion beam 81 (1987) 338

Marzin, J.Y., see D'Anterroches 81 (1987) 121
Mashita, M., see Kimura 81 (1987) 276
Matsui, S., see Yao 81 (1987) 518
Matsui, Y., H. Hayashi and K. Yoshida, Auger electron spectroscopy study of GaAs layer growth on InP substrate 81 (1987) 245
McClintock, J.A., and R.A. Wilson, Optical measurement of Ga beam flux for MBE 81 (1987) 177
McCombe, B.D., see Zheng 81 (1987) 489
Medina, P., see Demay 81 (1987) 97
Medland, J.D. see Ashenford 81 (1987) 505
Melchior, H., see Zogg 81 (1987) 543
Merle d'Aubigné, Y., see Magnea 81 (1987) 501
Merlin, R., see Clarke 81 (1987) 116
Merlin, R., see Gammon 81 (1987) 149
Messarosch, J., see Zeindl 81 (1987) 231
Meynadier, M.-H., see Tamargo 81 (1987) 109
Mihara, M., see Kumura 81 (1987) 276
Mihara, T., see Kaneda 81 (1987) 536
Miller, D.L. and P.M. Asbeck, Plane-selective doped AlGaAs/GaAs double heterostructure light emitting diodes 81 (1987) 368
Miller, R.C., see Tu 81 (1987) 159
Million, A., see Magnea 81 (1987) 501
Minot, C., see Alexandre 81 (1987) 391
Mishima, T., see Shiraki 81 (1987) 164
Missous, M., K.E. Singer and D.J. Nicholas, Electrical properties of indium doped GaAs layers grown by MBE 81 (1987) 314
Mizutani, T., see Hirose 81 (1987) 130
Mohapatra, S.K., see Cheng 81 (1987) 512
Moison, J.M., see Houzay 81 (1987) 67
Morioka, M., see Shiraki 81 (1987) 164
Morishita, Y., see Maruno 81 (1987) 338
Morkoç, H., see Gammon 81 (1987) 149
Morkoç, H., see Liu 81 (1987) 359
Munekata, H., L.L. Chang, S.C. Woronick and Y.H. Kao, Lattice relaxation of InAs heteroepitaxy on GaAs 81 (1987) 237
Munoz-Yague, A., see Fontaine 81 (1987) 547
Muto, S., see Hiyamizu 81 (1987) 349
Myrtle, K., see Heinrich 81 (1987) 562

Nago, S., see Sakamoto 81 (1987) 59
Nahory, R.E., see Tamargo 81 (1987) 109
Najjar, F.E., see Enquist 81 (1987) 378
Nakagawa, K., see Shiraki 81 (1987) 476
Nakamura, T., see Saito 81 (1987) 188
Nakashima, H., see Fukunaga 81 (1987) 85
Nakata, Y., see Hiyamizu 81 (1987) 349
Nash, K.J., see Claxton 81 (1987) 288
Nayler, R., see Houghton 81 (1987) 326
Neave, J.H., see Dobson 81 (1987) 1
Neave, J.H., see Woodbridge 81 (1987) 224
Nejjar, J., see Fontaine 81 (1987) 547
Newstead, S.M., R.A.A. Kubiak and E.H.C. Parker, On the practical applications of MBE surface phase diagrams 81 (1987) 49
Nicholas, D.J., M. Lee, B. Hamilton and K.E. Singer, Spectroscopic studies of shallow defects in MBE GaSb 81 (1987) 298
Nicholas, D.J., see Missous 81 (1987) 314
Nishi, K., see Hirose 81 (1987) 130
Nomura, Y., see Maruno 81 (1987) 338
Noreika, A.J., see Zheng 81 (1987) 489
Norton, P. and M. Tacke, MBE of $Pb_{1-x}Eu_xSe$ for the use in IR devices 81 (1987) 405
Nurmikko, A.V., see Kolodziejski 81 (1987) 491

Ogata, H., see Maruno 81 (1987) 338
Ohno, H., see Akatsu 81 (1987) 319
Ohshima, T., see Shiraki 81 (1987) 476
Ohta, S., see Yokoyama 81 (1987) 73
Okada, Y., see Yao 81 (1987) 518
Oppolzer, H., see Zeindl 81 (1987) 231
Ospelt, M., see Von Känel 81 (1987) 470
Otsuka, N., see Kolodziejski 81 (1987) 491
Ourmazd, A., see Chelluri 81 (1987) 530

Page, A.D., see Ashenford 81 (1987) 505
Palmier, J.F., see Alexandre 81 (1987) 391
Panish, M.B., Gas source molecular beam epitaxy of GaInAs(P): gas sources, single quantum wells, superlattice p–i–n's and bipolar transistors 81 (1987) 249
Parker, E.H.C., see Newstead 81 (1987) 49
Parker, E.H.C., see Houghton 81 (1987) 326
Patel, G., see Houghton 81 (1987) 326
Peacock, D.C., see Kerr 81 (1987) 175
Pearton, S.J., see Gossard 81 (1987) 101
Pelouard, J.L., see Goldstein 81 (1987) 396
Peng, C.K., see Liu 81 (1987) 359
Peterson, L.D., see Harbison 81 (1987) 34
Petroff, P.M., see Gossard 81 (1987) 101
Petroff, P.M., see Tu 81 (1987) 159
Pickering, C., see Robbins 81 (1987) 421
Pidduck, A.J., see Robbins 81 (1987) 421
Ploog, K., see Stolz 81 (1987) 79
Ploog, K., see Fronius 81 (1987) 169
Ploog, K., Delta- ($\delta$-) doping and MBE-grown GaAs: concept and device application 81 (1987) 304
Potts, J.E., see Cheng 81 (1987) 512
Praseuth, J.P., see Goldstein 81 (1987) 396
Primot, J., see Goldstein 81 (1987) 396
Prinz, G.A., see Jonker 81 (1987) 524
Pukite, P.R., and P.I. Cohen, Suppression of antiphase domains in the growth of GaAs on Ge(100) by molecular beam epitaxy 81 (1987) 214
Purcell, S.T., see Heinrich 81 (1987) 562

Qadri, S.B., see Jonker 81 (1987) 524
Qadri, S.B., see Claassen 81 (1987) 557

Radulescu, D.C., G.W. Wicks, W.J. Schaff, A.R. Calawa and L.F. Eastman, Anisotropic transport in modulation doped

quantum well structures (extended abstract) 81 (1987) 106
Rajan, K., see Denhoff 81 (1987) 445
Ramberg, L.P., see Enquist 81 (1987) 378
Roberts, J.S., see Claxton 81 (1987) 288
Robbins, D.J., A.J. Pidduck, A.G. Cullis, N.G. Chew, R.W. Hardeman, D.B. Gasson, C. Pickering, A.C. Daw, M. Johnson and R. Jones, In-situ light scattering studies of substrate cleaning and layer nucleation in silicon MBE 81 (1987) 421
Rosencher, E., see Arnaud d'Avitaya 81 (1987) 463
Rosner, S.J., see Koch 81 (1987) 205
Ruiz, A., see Briones 81 (1987) 19
Ryoji, A., see Kimata 81 (1987) 508

Saito, J., T. Igarashi, T. Nakamura, K. Kondo and A. Shibatomi, Growth of highly uniform epitaxial layers over multiple substrates by molecular beam epitaxy 81 (1987) 188
Sakaki, H., see Tanaka 81 (1987) 153
Sakamoto, K., see Sakamoto 81 (1987) 59
Sakamoto, T., T. Kawamura, S. Nago, G. Hashiguchi, K. Sakamoto and K. Kuniyoshi, RHEED-intensity oscillations of alternating surface reconstructions during Si MBE growth on single-domain Si(001)-2 × 1 surface 81 (1987) 59
Sakamoto, Y., see Kaneda 81 (1987) 536
Sasa, S., see Hiyamizu 81 (1987) 349
Sawaki, N., see Kano 81 (1987) 144
Schaff, W.J., see Radulescu 81 (1987) 106
Schaff, W.J., see Enquist 81 (1987) 378
Schlom, D.G., see Larkins 81 (1987) 344
Scott, E.G., D.A. Andrews and G.J. Davies, MBE growth of Ga–Al–In–As ternary and quaternary alloy compositions (extended abstract) 81 (1987) 296
Shibatomi, A., see Saito 81 (1987) 188
Shimazu, M., see Kimura 81 (1987) 276
Shimizu, S. and S. Komiya, Epitaxial growth of InP on Si using MIBE technique extended abstract) 81 (1987) 243
Shiraki, Y., T. Mishima and M. Morioka, Low temperature MBE growth of high quality AlGaAs 81 (1987) 164
Shiraki, Y., T. Ohshima, A. Ishizaka and K. Nakagawa, High quality $NiSi_2$/Si epitaxial films grown by MBE 81 (1987) 476
Shirland, F.A., see Zheng 81 (1987) 489
Singer, K.E., see Nicholas 81 (1987) 298
Singer, K.E., see Missous 81 (1987) 314
Singh, J., see Juang 81 (1987) 373
Skolnick, M.S., see Claxton 81 (1987) 288
Smith, T.L., see Cheng 81 (1987) 512
Sotomayor-Torres, C.M., see Claxton 81 (1987) 288
Sputz, S.K., see Tu 81 (1987) 159
Srivastava, A., see Chelluri 81 (1987) 530
Staehli, J.L., see Bosacchi 81 (1987) 181
Stanley, C.R., see Airaksinen 81 (1987) 332
Stillman, G.E., see Larkins 81 (1987) 344
Stolz, W., J. Wagner and K. Ploog, Effect of barrier configuration on excitonic recombination in $Ga_{0.47}In_{0.53}As/Al_{0.48}In_{0.52}As$ multi quantum well structures 81 (1987) 79
Sturge, M.D., see Tamargo 81 (1987) 109
Sugiura, H., M. Kawashima and Y. Horikoshi, RHEED oscillation study by modulated electron beam during GaAs growth 81 (1987) 9
Sugiyama, Y., see Hiyamizu 81 (1987) 349

Tacke, M., see Norton 81 (1987) 405
Takahashi, K., see Kobayashi 81 (1987) 495
Takahashi, S., see Koguchi 81 (1987) 400
Takamori, T., see Fukunaga 81 (1987) 85
Takeda, T., see Yao 81 (1987) 43
Tamargo, M.C., R.E. Nahory, M.-H. Meynadier, E. Finkman, M.D. Sturge, D.M. Hwang and J. Ihm, Optical properties of thin layer AlAs/GaAs superlattices 81 (1987) 109
Tanaka, M. and H. Sakaki, Atomistic models of interface structures of GaAs–$Al_xGa_{1-x}As$ ($x = 0.2$–1) quantum wells grown by interrupted and uninterrupted MBE 81 (1987) 153
Tanaka, T., see Kaneda 81 (1987) 536
Tanaka, Y., see Kano 81 (1987) 144
Tang, W.C., see Madhukar 81 (1987) 26
Tapster, P.R., see Claxton 81 (1987) 288
Tatarenko, S., see Magnea 81 (1987) 501
Temkin, H., see Tu 81 (1987) 545
Temofonte, T., see Zheng 81 (1987) 489
Thomsen, M., see Madhukar 81 (1987) 26
Todd, J., see Clarke 81 (1987) 116
Truscott, W.S., Y.F. Wen and M.E. Lee, MBE growth of $BaF_2$/(Ga,In)(As,Sb) structures 81 (1987) 552
Tsang, W.T., Chemical beam epitaxy of $Ga_{0.47}In_{0.53}As$/InP quantum wells and heterostructure devices 81 (1987) 261
Tu, C.W., R.C. Miller, B.A. Wilson, P.M. Petroff, T.D. Harris, R.F. Kopf, S.K. Sputz and M.G. Lamont, Properties of (Al,Ga)As/GaAs heterostructures grown by molecular beam epitaxy with growth interruption 81 (1987) 159
Tu, C.W., S.A. Ajuria and H. Temkin, Molecular-beam epitaxial growth of (Al,Ga)As/$(Ca,Sr)F_2$ multilayer structures as a broad-band high-reflectivity mirror (extended abstract) 81 (1987) 545

Urquhart, K.B., see Heinrich 81 (1987) 562

Van Hove, J.M. and P.I. Cohen, Reflection high energy electron diffraction measurement of surface diffusion during the growth of gallium arsenide by MBE 81 (1987) 13
Varmazis, K., see Christou 81 (1987) 226
Voillot, F., see Madhukar 81 (1987) 26
Von Känel, H., T. Graf, J. Henz, M. Ospelt and P. Wachter, $NiSi_2$ layers grown on Si(111) by MBE and SPE 81 (1987) 470

Wachter, P., see Von Känel 81 (1987) 470
Wagner, J., see Stolz 81 (1987) 79
Webb, C., see Kirillov 81 (1987) 91
Wen, Y.F., see Truscott 81 (1987) 552
Werner, K., see Heinecke 81 (1987) 270
Werner, K., H. Heinecke, M. Weyers, H. Lüth and P. Balk, Defects in GaAs films grown by MOMBE 81 (1987) 281
Westwood, D.I., K.J. Mackey, P.M.G. Allen, W.G. Herrenden-Harker and R.H. Williams, Microscopic interactions at semiconductor heterojunctions: GaAs–CdTe and InSb–CdTe interfaces (extended abstract) 81 (1987) 506
Weyers, M., see Heinecke 81 (1987) 270
Wyers, M., see Werner 81 (1987) 281
Whall, T.E., see Houghton 81 (1987) 326
Wicks, G.W., see Radulescu 81 (1987) 106
Wicks, G.W., see Enquist 81 (1987) 378
Wicks, G.W., see Griem 81 (1987) 383
Williams, R.H., see Westwood 81 (1987) 506
Wilson, B.A., see Tu 81 (1987) 159
Wilson, R.A., see Beck 81 (1987) 136
Wilson, R.A., see McClintock 81 (1987) 177
Wolf, S.A., see Claassen 81 (1987) 557
Wood, C.E.C., see Kerr 81 (1987) 175
Wood, C.E.C., see Ashenford 81 (1987) 505
Woodbridge, K., J.P. Gowers, P.F. Fewster, J.H. Neave and B.A. Joyce, RHEED studies and interface analysis of GaAs grown on Si(001) (extended abstract) 81 (1987) 224
Wörner, K., see Kasper 81 (1987) 458
Woronick, S.C., see Munekata 81 (1987) 237

Yao, T. and T. Takeda, Intensity variations of reflection high-energy electron diffraction during atomic layer epitaxial growth and sublimation of Zn chalcogenides 81 (1987) 43
Yao, T., Y. Okada, S. Matsui, K. Ishida and I. Fujimoto, The effect of lattice deformation on optical properties and lattice parameters of ZnSe grown on (100)GaAs 81 (1987) 518
Yoffe, G.W., see Koch 81 (1987) 205
Yokoyama, M., K. Kashiro and S. Ohta, Molecular beam epitaxial growth of ZnS on a (100)-oriented Si substrate 81 (1987) 73
Yoshida, K., see Matsui 81 (1987) 245
Youngman, R.C., see Erickson 81 (1987) 55

Zeindl, H.P., V. Fuenzalida, J. Messarosch, I. Eisele, H. Oppolzer and V. Huber, Influence of substrate misorientation and temperature on MBE-grown Si 81 (1987) 231
Zhang, J., see Dobson 81 (1987) 1
Zheng, Y.-D., Y.H. Chang, B.D. McCombe, R.F.C. Farrow, T. Temofonte, F.A. Shirland and A.J. Noreika, Observation of a quasi-two-dimensional electron gas at InSb/CdTe interface prepared by MBE (extended abstract) 81 (1987) 489
Zhou Junming, Huang Yi, Li Yongkang and Jia Wei Yi, Growth and properties of AlGaAs/GaAs heterostructures on GaAs (110) surface 81 (1987) 221
Zogg, H., P. Maier and H. Melchior, Graded IIa fluoride buffer layers for heteroepitaxy of lead chalcogenides and CdTe on Si (extended abstract) 81 (1987) 543
Zyzkind, J.L., see Chelluri 81 (1987) 530

Journal of Crystal Growth 81 (1987) 578–580
North-Holland, Amsterdam

# SUBJECT INDEX

Adsorption 13, 214, 231, 245
Aluminum
– arsenide 38, 55, 109, 120, 153, 177, 226
– gallium arsenide 1, 19, 26, 34, 38, 85, 101, 149, 153, 159, 164, 169, 188, 221, 319, 368, 545
– gallium indium arsenide 396
– indium arsenide 79, 130, 296, 383
Apparatus
– for thin film growth
– – by chemical beam epitaxy
– – – of gallium arsenide 276
– – – of III–V compounds 261
– – by molecular beam epitaxy
– – – using gas source
– – – – of gallium arsenide 276
– – – – of gallium indium arsenide phosphide 249
– – – using rotating holder, over multiple substrates
– – – – of III–V compounds 188
– for miscellaneous purposes
– – beam flux measurement during MBE 177
– – cooled shutter assembly in MBE 288
– – diffuse laser light scattering 421
– – in situ spectroscopic ellipsometry 97

Barium
– fluoride 543, 552

Cadmium
– mercury telluride 97, 483
– telluride 501, 505, 506, 508, 543
Calcium
– fluoride 543, 545, 547
Characterization methods
– by absorption spectroscopy 116, 288, 501, 518, 545
– by Auger electron spectroscopy 67, 226, 243, 245, 338, 463, 476, 506, 508, 524, 530, 552
– by cathodoluminescence 101
– by deep level transient spectroscopy 181, 314, 319, 326, 373, 411
– by diffuse layer light scattering 421
– by electrical methods 106, 130, 136, 144, 164, 169, 181, 188, 221, 226, 249, 261, 270, 276, 281, 288, 296, 304, 314, 319, 332, 338, 344, 349, 359, 368, 373, 378, 383, 391, 396, 405, 411, 440, 445, 458, 483, 489, 505, 512, 530, 536, 543, 547, 552, 557
– by electron diffraction 109, 237, 552
– by electron energy loss spectroscopy 67
– by electron microscopy 67, 73, 101, 109, 120, 121, 205, 224, 226, 231, 237, 245, 249, 281, 338, 368, 373, 396, 411, 421, 434, 445, 451, 458, 463, 470, 476, 486, 495, 506, 530, 547
– by electron probe microanalysis 400
– by ellipsometry 97
– by fluorescence 177
– by ion channeling experiments 205
– by low energy electron diffraction 428, 463, 470, 506
– by magnetic properties 491, 524, 562
– by neutron activation analysis 326
– by optical microscopy 270, 296, 451, 512, 518, 543
– by photoluminescence 26, 73, 79, 85, 109, 121, 149, 159, 164, 181, 205, 221, 249, 261, 276, 288, 296, 298, 314, 338, 344, 349, 373, 383, 396, 491, 495, 505, 512, 518, 530, 543, 552
– by photoreflectance 109
– by Raman spectroscopy 91, 116, 149, 434
– by reflection high energy electron diffraction 1, 9, 13, 19, 26, 34, 43, 49, 55, 59, 65, 67, 73, 121, 175, 205, 214, 221, 224, 226, 243, 304, 314, 319, 338, 344, 383, 400, 451, 476, 491, 508, 512, 524, 530, 536, 545, 557, 562
– by Rutherford backscattering 205, 411, 434, 545
– by secondary electron emission 55
– by secondary ion mass spectrometry 270, 276, 288, 326, 411, 421, 434, 512
– by thickness of epitaxial film 188
– by transient mass spectrometry 421
– by transmission 38, 249, 405
– by ultraviolet photoemission spectroscopy 67
– by X-ray photoemission spectroscopy 67, 175, 421, 470, 476, 506, 562
– by X-ray techniques 73, 116, 120, 121, 224, 237, 243, 281, 296, 326, 373, 383, 391, 396, 400, 411, 434, 451, 463, 483, 501, 508, 518, 524, 530, 536, 543, 552, 557
Cobalt
– disilicides 463
Computer simulation 26

Devices 106, 144, 169, 249, 261, 296, 304, 344, 349, 359, 368, 378, 383, 391, 396, 400, 405, 458, 536, 543, 547
Dislocations 67, 326, 421, 451, 501, 547
Dopants 270, 276, 281, 288, 298, 304, 314, 319, 359, 368, 373, 383, 400, 405, 411, 483, 505

Etching
– chemical 169, 205, 226, 237, 245, 319, 326, 338

Gallium
– aluminum arsenide 91, 116, 391
– antimonide 298, 552
– arsenide 1, 9, 13, 19, 26, 34, 38, 49, 55, 91, 101, 106, 109, 116, 120, 121, 136, 144, 149, 153, 169, 175, 177, 181, 193, 205,

214, 224, 226, 245, 270, 276, 281, 304, 314, 319, 344, 368, 373, 391, 547, 552
– indium arsenide 79, 130, 261, 296, 378, 383
– indium arsenide phosphide 249
Germanium 65, 451
– silicide 411, 434, 440, 445
Gold 562

Heterojunction 26, 38, 49, 85, 91, 101, 106, 116, 136, 144, 149, 153, 159, 164, 169, 188, 193, 205, 214, 221, 237, 249, 261, 288, 296, 349, 359, 373, 378, 391, 396, 400, 405, 411, 440, 445, 476, 506, 508

Impurity 149, 319, 326, 344, 421, 512
Indium
– aluminum arsenide 373
– antimonide 489, 508
– arsenide 49, 67, 177, 237, 552
– gallium aluminum arsenide 349
– gallium arsenide 349, 359, 373
– phosphide 243, 288, 332, 338
Interface 67, 79, 121, 136, 149, 153, 159, 193, 205, 214, 221, 224, 226, 288, 405, 421, 434, 445, 470, 476, 491, 506, 508, 524, 547
Iron 524

Kinetics
– of growth 9, 13, 19, 26, 59, 73, 97, 169, 214, 270, 281, 288, 314, 319, 338, 373, 383, 428, 530, 545
– of interface control 26, 106, 153, 193, 491
– of nucleation 193, 214, 428
– of sulphur incorporation 332

Lasers 400, 405
Lattice mismatch 67, 130, 243, 296, 314, 349, 373, 378, 383, 400, 405, 411, 501, 518, 530, 543, 545, 547, 552
Lead
– cadmium sulphide selenide 400
– europium selenide 405
– telluride 543
– tin selenide 543
Light emitting diode 368

Manganese
– selenide 491
Mercury
– cadmium telluride 97, 483
Morphological stability 214, 245, 296
Morphology of growth 59, 65, 67, 205, 214, 224, 226, 296, 368, 421, 451, 458, 463, 470, 545

Nickel 562
– silicides 470, 476
Niobium 557
Nucleation 49, 67, 193, 205, 214, 224, 231, 237, 421, 428, 491

Optical guide 373
Organo
– group III 261, 270, 276, 281
– silicon 276

Perfection of crystals 73, 116, 121, 188, 224, 281, 296, 298, 314, 326, 338, 373, 421, 428, 434, 445, 463, 476, 557
Phase diagrams 214, 405
Phenomenological theory 231, 400

Quantum wells/size effects 1, 26, 34, 79, 85, 91, 101, 106, 109, 136, 144, 149, 153, 159, 164, 169, 249, 261, 288, 304, 349, 359, 373, 383, 391, 440, 489, 491, 495

Silicides
– germanium 411, 434, 440, 445
– metal 411
Silicon 59, 231, 326, 411, 421, 428, 434, 440, 458
– carbide 536
Step 59, 159, 193, 214, 231, 245, 421, 428
Strain 67, 79, 121, 130, 149, 205, 224, 237, 373, 383, 434, 440, 495, 501, 518, 557
Strontium
– fluoride 543, 545, 547
Superlattices 1, 26, 79, 91, 101, 109, 116, 120, 121, 130, 144, 149, 159, 169, 249, 270, 288, 304, 373, 391, 434, 440, 491, 495
Surface diffusion 13
Surface structure 49, 59, 65, 67, 73, 85, 175, 181, 193, 205, 214, 226, 281, 421, 470, 476, 524, 543

Thermodynamics 332
Thin film growth
– by atomic layer epitaxy
– – of zinc chalcogenides 43
– – of zinc selenide 518
– by chemical beam epitaxy
– – of gallium arsenide 270, 276, 281
– – of gallium indium arsenide 261
– by ion beam epitaxy
– – of indium phosphide 338
– by molecular beam epitaxy
– – of alkaline earth fluorides 543, 545, 547, 552
– – of aluminum arsenide 38, 55, 109, 120, 153, 177, 226
– – of aluminum gallium arsenide 1, 19, 26, 34, 38, 85, 91, 101, 116, 149, 153, 159, 164, 169, 188, 221, 319, 368, 545
– – of aluminum gallium indium arsenide 396
– – of aluminum indium arsenide 79, 130, 296, 383
– – of cadmium mercury telluride 97, 483
– – of cadmium telluride 501, 505, 506, 508, 543
– – of cobalt disilicide 463
– – of gallium aluminum arsenide 391
– – of gallium antimonide 298, 552
– – of gallium arsenide 1, 9, 13, 19, 26, 34, 38, 49, 55, 91, 101, 106, 116, 120, 121, 136, 144, 149, 153, 169, 175, 177, 181, 193, 205, 214, 224, 226, 245, 304, 314, 319, 344, 368, 373, 391, 547, 552
– – of gallium indium arsenide 79, 130, 296, 378, 383

– – of germanium 65, 457
– – of germanium silicide 434, 440, 445
– – of gold 562
– – of indium aluminum arsenide 373
– – of indium antimonide 489, 508
– – of indium arsenide 49, 67, 177, 237, 552
– – of indium gallium arsenide 359, 373
– – of indium phosphide 243, 288, 332, 338
– – of iron 524
– – of lead cadmium sulphide selenide 400
– – of lead europium selenide 405
– – of lead telluride 543
– – of lead tin selenide 543
– – of manganese selenide 491
– – of nickel 562
– – of nickel silicides 470, 476
– – of silicon 59, 231, 326, 411, 421, 428, 434, 440, 445, 463
– – of silicon carbide 536
– – of zinc arsenide 530
– – of zinc germanium arsenide 530
– – of zinc selenide 491, 495, 512, 518, 524
– – of zinc sulphide 73
– – of zinc telluride 495
– – theory of 193
– – using differential technique
– – – of silicon 458
– – using gas source
– – – of gallium arsenide 276
– – – of gallium indium arsenide phosphide 249
– – using pulsed technique
– – – of indium gallium aluminum arsenide 349
– – – of indium gallium arsenide 349
– by vapor phase epitaxy
– – through evaporation and condensation
– – – of cadmium telluride 506
– – – of niobium 557
Transistor
– bipolar 249, 378, 391, 396, 458
Two–six (II–VI) compounds 483, 491

Uniformity of growth 188, 261, 288, 344, 434

Zinc
– selenide 43, 491, 495, 512, 518
– sulphide 73
– telluride 43, 495